

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Decorquip Silicone S pray

Product code : PLS

Type of product : Lubricating agent Vaporizer : Aerosol Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use, Industrial use

Use of the substance/mixture : Lubricant

1.2.2. Uses advised agains

t No additional information available

1.3. Details of the supplier of the safety data sheet

TYGRIS LTD

UNIT 31

KYLE ROAD INDUSTRIAL ESTATE

 $\mathsf{IR}\,\mathsf{VINE}$

SCOTLAND

T 01294 311066

Jon. Butcher @~tygr is industrial.com

1.4. Emergency telephone number

Country/Area	Organis ation/Company	Address	Emergency number	Comment
United Kingdom		Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Aerosol, Category 1 H222;H229

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)





Signal word (GB CLP)

Hazard statements (GB CLP)

: Danger

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Precautionary statements (GB CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P 251 - Do not pierce or burn, even after use. P 261 - Avoid breathing vapours, spray.

P 271 - Use only outdoors or in a well-ventilated area.
P 270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves.

P264 - Wash hands thoroughly after handling.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}$ C, 122

°F.

P501 - Dispose of contents/ container in accordance with local regulations.

Child-resistant fastening

: Not applicable : Not applicable

Tactile warning

2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Propan-2-ol (67-63-0), Dimethyl siloxane (63148-62-9), Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) Propan-2-ol (67-63-0), Dimethyl siloxane (63148-62-9), Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene)(68476-85-7), Dimethyl siloxane(63148-62-9), Propan-2-ol(67-63-0)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene)	CAS-No.: 68476-85-7 EC-No.: 270-704-2	≥ 50	Flam. Gas 1A, H220 Press. Gas
substance with workplace exposure limit(s) Dimethyl siloxane	UK Index-No.: 649-202-00-6		
Difficulty should	CAS-No.: 63148-62-9 EC-No.: 613-156-5	5 – 10	Aquatic Chronic 3, H412
Propan-2-ol	CAS-No.: 67-63-0	0.005 - 0.05	Flam. Liq. 2, H225
substance with workplace exposure limit(s)	EC-No.: 200-661-7 UK Index-No.: 603-117-00-0		Eye Irrit. 2, H319 STOT SE 3, H336

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16



SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : S top leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment Emergency : Wear recommended personal protective equipment.

procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.



6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

Hygiene measures

- : Not expected to present a significant hazard under anticipated conditions of normal use.
- : Ensure good ventilation of the work station. Wear personal protective equipment.
- : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

S torage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Propan-2-ol (67-63-0)	
United Kingdom - Occupational Exposure	Limits
Local name WEL	Propan-2-ol
TWA (OEL TWA)	999 mg/m³
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Petroleum gases, liquefied (Contains < 0.	1% 1,3-butadiene) (68476-85-7)
United Kingdom - Occupational Exposure	Limits
Local name	Liquefied petroleum gas
WEL TWA (OEL TWA)	1750 mg/m³
	1000 ppm
WEL STEL (OEL STEL)	2180 mg/m³
	1250 ppm
R emark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))



Petroleum gases, liquefied (Contains < 0.1% 1	,3-butadiene) (68476-85-7)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eyeprotection: Safety glasses

Eye protection				
Туре	Field of application	Characteristics	Standard	
S afety glasses			EN 166	

8.2.2.2. Skin protection

Skinandbodyprotection:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
protective clothing	EN ISO 6530

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, R eusable gloves					EN 374-2



8.2.2.3. Respiratory protection

Respiratory protection:

Incaseofins ufficient ventilation, wear suitable respiratory equipment 8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Aerosol. Colour : Colourless. : Not available Odour Odour threshold : Not available рΗ : Not available Melting point : Not applicable : Not available Freezing point **Boiling** point : -40 - -2 °C (LPG) Flash point : < -40 °C Lower explosion limit : 1.4 vol % (LPG) Upper explosion limit : 10.9 vol % (LPG)

: 590 - 1760 kPa (LPG) Vapour pressure Vapour pressure at 50°C : Not available Relative vapour density at 20°C : Not available Relative density : Not available **Density** : Not available : Not available S olubility : Not available Partition coefficient n-octanol/water (Log Kow) : 365 °C (LPG) Auto-ignition temperature Decomposition temperature : Not available : Not available Viscosity, kinematic

: Not available

9.2. Other information

Explosive properties

Volatility : Volatile
Particle characteristics : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).



10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified : Acute toxicity (dermal) Not classified : Acute toxicity (inhalation) Not classified

Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Dimethyl siloxane (63148-62-9)	
LD50 oral rat	> 17000 mg/kg Source: National Library of Medicine
LD50 dermal rabbit	> 2000 mg/kg Source: National Library of Medicine
S kin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity : I	Not classified

: Not classified

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Propan-2-ol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	· Not classified	

Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)		
LOAEC (inhalation, rat, gas, 90 days) 12000 ppm Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dos Toxicity S tudy with the Reproduction / Developmental Toxicity S creening Test), Guiother:		
Aspiration hazard	: Not classified	

IS/5 MOULD RELEASE MEDIUM	
Vaporizer	Aerosol
Not able to form a pool	Yes

Other information

Carcinogenicity

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.



Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Dimethyl siloxane (63148-62-9)		
LC50 - Fish [1]	37.79 mg/l Source: The ECOTOXicology database	
Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)		
LC50 - Fish [1]	0.362 mg/l 0.018 mg/l 7.6	
EC50 - Crustacea [1]	mg/l S ource: E C O T O X	
ErC50 algae		

12.2. Persistence and degradability

IS/5 MOULD RELEASE MEDIUM		
Persistence and degradability	Not rapidly degradable	
Propan-2-ol (67-63-0)		
Persistence and degradability	Rapidly degradable	
Biodegradation	95 %	
Dimethyl siloxane (63148-62-9)		
Persistence and degradability Not rapidly degradable		
Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)		
Partition coefficient n-octanol/water (Log Pow)	≤ 2.8 Source: IUCLID	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component			
Propan-2-ol (67-63-0)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Dimethyl siloxane (63148-62-9)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		

12.6. Other adverse effects

No additional information available



SECTION 13: Disposal considerations

13.1. Was te treatment methods

Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information HP Code

- : Disposal must be done according to official regulations. : Dispose of contents/container in accordance with licensed collector's sorting instructions. : Disposal must be done according to official regulations. : Disposal must be done according to official regulations. : Do not reuse empty containers. : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 $^{\circ}$ C or waste gas oil, diesel and light heating oils having a flash point > 55 $^{\circ}$ C and \leq 75 $^{\circ}$ C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number	'			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard c	lass(es)			
2.1	2.1	2.1	2.1	2.1
*	***	*	*	*
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	 		
Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False	Dangerous for the environment: False
No supplementary information	n available		1	<u> </u>

14.6. Special precautions for user

Overland transport Classification code (ADR)

: 5F



S pecial provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 2
S pecial provisions for carriage - Packages (ADR) : V14

S pecial provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

 S pecial provisions (IMDG)
 : 63, 190, 277, 327, 344, 381, 959

 Limited quantities (IMDG)
 : S P 277

Excepted quantities (IMDG) : E0 : P207, LP200 Packing instructions (IMDG) S pecial packing provisions (IMDG) : PP87, L2 EmS-No. (Fire) : F-D EmS-No. (Spillage) : S-U Stowage category (IMDG) : None : SW1, SW22 S towage and handling (IMDG) Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

S pecial provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

S pecial provisions (ADN) : 190, 327, 344, 625

 $\begin{tabular}{lll} Limited quantities (ADN) & : 1 L \\ Excepted quantities (ADN) & : E 0 \\ E quipment required (ADN) & : P P, E X, A \\ Ventilation (ADN) & : VE 01, VE 04 \\ \end{tabular}$

Rail transport

Classification code (RID) : 5F

S pecial provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200

S pecial packing provisions (RID) : PP87, RR6, L2
Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
S pecial provisions for carriage – Packages (RID) : W14
S pecial provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID)

Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure GB PIC regulation (Prior Informed Conset)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

 $This\ substance\ is\ not\ listed\ as\ a\ regulated\ poison\ on\ the\ Control\ of\ Poisons\ and\ Explosives\ Precursors\ Regulations$

Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
BS EN	British Standard	
C AS -No.	Chemical Abstract Service number	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	



Abbreviations and acronyms:		
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disruptor I	
IARC	nternational Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise S pecified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-E ffect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	S ewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
voc	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	

Full text of H- and EUH-s tatements:			
Aerosol 1	Aerosol, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1A	Flammable gases, Category 1A		
Flam. Liq. 2	Flammable liquids, Category 2		
Press. Gas	Gases under pressure		
STOT SE 3	S pecific target organ toxicity – S ingle exposure, Category 3, Narcosis		
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		



Full text of H- and EUH-statements:	
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.